

TITAN™

Automated Retail Solutions



Rapid
Development



Integration
Ready



Future
Expansion



Secure Distribution | Unattended Retail | Marketing & Promotion





Titan™ machines provide an engaging user experience to increase customer interaction and maximise machine revenue



Powered by

55" UHD multi-touch display




Next generation PC control



Bi-directional communication




Engaging user interface



Physical & virtual product sales



IoT management suite



Remote operations




Scheduled reporting



Real time analytics & data insights



Multiple payment devices



Spiral, conveyor & pusher systems



Fragile product delivery





BENEFITS OF USING TITAN™ MACHINES

- Intuitive user interface
- Engaging UHD interactive user experience
- Marketing opportunities when machine is idle
- Direct marketing opportunity during product selection
- Easy access to product information (description, specification, USP etc)
- Sales uplift through basket function
- Highly customisable future-proof solution
- Tailored solutions available to meet your specific needs

ADDITIONAL BENEFITS OF OPERATION

- Quoros® cloud connected solution
- Real time analytics
- Remote price changes
- Remote diagnostics
- Email error reports
- Remote marketing material changes
- Sales/product data direct through Quoros® portal
- Customised reporting direct via email (inc. stock, revenue, tax etc)
- All-in-one solution that evolves with your business



TITAN™



USER INTERFACE:	UX via 55" UHD 700 nit touch screen. Game engine-based design with highly customisable settings for operators.	MACHINE DIMENSIONS (H x W x D):	1968mm x 1192mm x 960mm (H: 1865mm without feet) ***dimensions may be subject to change without prior notice***
TOUCH TECHNOLOGY:	Multi-Point IR	NET WEIGHT:	350Kg (standard model without options)
NO. OF SELECTIONS PER SHELF:	Spiral max. 9 conveyor max. 7/8 pusher max. 7	PROTOCOL:	Fully PC controlled
NO. OF SHELVES:	Max. 6	OPERATING SYSTEM:	Windows 10 IoT Enterprise LTSC
NO. OF SELECTIONS:	Max. 54	PAYMENT SYSTEM INTERFACE:	PC interfaces & MDB. Apertures for multiple cameras, cashless & scanners, receipt printers, closed loop systems, coins, banknotes +++
DISPENSE SYSTEMS:	Fully configurable with elevator fragile delivery. Conveyor, spiral and pusher dispense. Adjustable shelf heights.	INTERNET CONNECTIVITY:	Standard LAN. Optional 4G/5G SIM & Wi-Fi
INTERNAL TEMPERATURE RANGE:	+4°C up to +25°C	REMOTE MANAGEMENT:	Diagnostics & fault finding, settings, prices, products, inventory levels, transaction data, fault reporting +++
REFRIGERANT:	Standard R1234YF HFO. Optional R290 HC (MOQ's apply).	POWER SUPPLY:	AC 220-240V. Standard 50Hz. Optional 60Hz (MOQ's apply).
COOLING SYSTEM CONTROL:	Electronic & PC controlled	RATED POWER CONSUMPTION:	600W (refrigerated model), ~160W (ambient model)